


**S16c** 


SPECIFICATIONS	US	Metric	
Rated Capacity: Displacement (per 100 revolutions): Maximum Continuous Pressure: Starting Torque: Rated Speed: Shaft Diameter: Flange Connection Class: Flange Connection Size: Weight: Solids Handling: Spherical Compressible Spherical Hard* * Larger hard solids will pass through but may	0-144 gpm 16 gal (US) 100 psi 720 in lbf 0-900 RPM 1.1" ANSI 16.5-150# ANSI 3" 182 lbs 0.75" 1/8" cause damage.	0-32 m³/hr 60 L 6.9 bar 127 N m 0-900 RPM 28 mm DN – PN 16 DN 80 82 kg 19 mm 3 mm	



## **Positive Displacement Rotary Lobe Pumps**

MODEL >	SS16c	CS16c
Service	Sludge, Mud and Slurries*	Chemical/Corrosive
WETTED PARTS		
Rotary Lobes		
Elastomer	NBR Opt. HNBR, FKM, EPDM or Eng. Rec.	FKM or HNBR Opt. NBR, EPDM or Eng. Rec.
Lobe Profile Number of lobe wings	Straight 6	Straight
Core	Carbon Steel	Carbon Steel
Sealing Elastomers	34.33.1 343.	04.501.01.001
O-rings	FKM	FKM or Engineer Recommendation
Lip seals	FKM or Engineer Recommendation	FKM or Engineer Recommendation
Mechanical Seals		
Mechanical Seal	Duronit Duronit	Silicon Carbide
Seal Holders	Opt. Tungsten Carbide, Silicon Carbide or Engineer Rec. Carbon Steel with Corrosion resistant coating	Opt. Tungsten Carbide or Engineer Rec. Stainless Steel Type 316
Wear Plates	AR500 Steel (Brinell 500)	Duplex Stainless Steel
Housing Segments	Carbon Steel	Duplex Stainless Steel  Duplex Stainless Steel
Flange Ring	ASTM A36 Carbon Steel	Stainless Steel Type 316L
Bolts	Carbon Steel ISO 898-I	Stainless Steel A2-A4
Pressure Disc	Stainless Steel Type 316L	Stainless Steel Type 316L
LIMITED EXPOSURE PARTS		
Quench Adaptor/Barrier Plate	Carbon Steel	Carbon Steel
Pump Cover	Carbon Steel Opt. Engineering Recommendation	316 Stainless Steel Opt. Engineering Recommendation
	odizon otosi opii Enginooniig Hoodiimonadani	o to otalinoso otosi opti Enginosinig riosommonadasii
NON-WETTED PARTS		
Quench /Seal Cooling Chamber	Carbon Steel	Carbon Steel
Gears	GMA Class 9 AISI 1045 steel	GMA Class 9 AISI 1045 steel
Gear Housing	Carbon Steel or ASTM A48 Grey Iron rust primed	Carbon Steel or ASTM A48 Grey Iron
Shaft	AISI 4140 Alloy Steel	AISI 4140 Alloy Steel
PAINTING REQUIREMENTS	.,, .,, .,,	
Standard Painting	SSPC/SP6 Sandblast Paint	SSPC/SP6 Sandblast Paint
<u>*************************************</u>	LobePro Blue	LobePro Silver


NOTE: Listed above are standard pump assemblies; lobe styles and materials subject to recommendation by LobePro Engineering. A wide range of optional materials are available for each model. Consult LobePro for further information. \*Consult Factory for application temperature above 80°C (175°F). One piece pump casing design available in Sp line.



## **S16 CURVES**

## Performance Curve - NBR Lobes\*

Based on 70°F (21°C) fresh water (1 cp) at Sea Level. Output will increase as viscosity of the fluid increases from 1.



\*Note: Output from lobes coated with elastomers other than NBR maybe lower. Contact Engineering for further information.

