

SPECIFICATIONS	US	Metric
Rated Capacity: Displacement (per 100 revolutions): Maximum Continuous Pressure: Starting Torque: Rated Speed: Shaft Diameter: Flange Connection Class: Flange Connection Size: Weight: Solids Handling	0-1,995 gpm 399 gal (US) 40 psi 3,857 in lbf 0-500 RPM 2.4" ANSI 16.5-150# ANSI 10" 797 lbs	0-453 m³/h 1,504 L 2.8 bar 436 N m 0-500 RPM 60 mm DN – PN 16 DN 200 359 kg
Spherical Compressible Spherical Hard* * Larger hard solids will pass through but may o	3" 1/8" ause damage.	76 mm 3 mm

Consult LobePro for further information. \*Consult Factory for application temperature above 80°C (175°F).



## **Positive Displacement Rotary Lobe Pumps**

WETTED PARTS           Rotary Lobes         Flastomer         NBF           Lobe Profile         Heli           Number of lobe wings         4           Core         Carl           Sealing Elastomers         O-rings         FKM           Lip seals         FKM           Mechanical Seals         Dur           Mechanical Seal         Dur           Seal Holders         Carl	BR Opt. HNBR, FKM, EPDM or Eng. Rec.  arbon Steel  KM  KM or Engineer Recommendation  uronit  tt. Tungsten Carbide, Silicon Carbide, or Eng. Rec.	FKM or HNBR Opt. NBR, EPDM or Eng. Rec. Helix 4 Carbon Steel  FKM or Engineer Recommendation FKM or Engineer Recommendation  Silicon Carbide Opt. Tungsten Carbide or Engineer Rec.	Oil, Gas & Abrasives  FKM or HNBR Opt. NBR, EPDM or Eng. Rec. Helix 4 Carbon Steel  FKM or Engineer Recommendation FKM or Engineer Recommendation Tungsten Carbide Opt. Silicon Carbide or Engineer Rec.
Rotary Lobes           Elastomer         NBF           Lobe Profile         Heli           Number of lobe wings         4           Core         Carl           Sealing Elastomers         FKN           D-rings         FKN           Lip seals         FKN           Mechanical Seals         Dur           Mechanical Seal         Dur           Seal Holders         Carl	Arbon Steel  KM KM or Engineer Recommendation  Jaronit ot. Tungsten Carbide, Silicon Carbide, or Eng. Rec.	Helix 4 Carbon Steel  FKM or Engineer Recommendation FKM or Engineer Recommendation Silicon Carbide Opt. Tungsten Carbide or Engineer Rec.	Helix 4 Carbon Steel  FKM or Engineer Recommendation FKM or Engineer Recommendation Tungsten Carbide
Elastomer	Arbon Steel  KM KM or Engineer Recommendation  Jaronit ot. Tungsten Carbide, Silicon Carbide, or Eng. Rec.	Helix 4 Carbon Steel  FKM or Engineer Recommendation FKM or Engineer Recommendation Silicon Carbide Opt. Tungsten Carbide or Engineer Rec.	Helix 4 Carbon Steel  FKM or Engineer Recommendation FKM or Engineer Recommendation Tungsten Carbide
Elastomer	Arbon Steel  KM KM or Engineer Recommendation  Jaronit ot. Tungsten Carbide, Silicon Carbide, or Eng. Rec.	Helix 4 Carbon Steel  FKM or Engineer Recommendation FKM or Engineer Recommendation Silicon Carbide Opt. Tungsten Carbide or Engineer Rec.	Helix 4 Carbon Steel  FKM or Engineer Recommendation FKM or Engineer Recommendation Tungsten Carbide
Number of lobe wings	arbon Steel  KM KM or Engineer Recommendation  uronit tt. Tungsten Carbide, Silicon Carbide, or Eng. Rec.	4 Carbon Steel  FKM or Engineer Recommendation FKM or Engineer Recommendation  Silicon Carbide Opt. Tungsten Carbide or Engineer Rec.	4 Carbon Steel  FKM or Engineer Recommendation FKM or Engineer Recommendation Tungsten Carbide
Core	arbon Steel  KM  KM or Engineer Recommendation  Jeronit  tot. Tungsten Carbide, Silicon Carbide, or Eng. Rec.	Carbon Steel  FKM or Engineer Recommendation FKM or Engineer Recommendation  Silicon Carbide Opt. Tungsten Carbide or Engineer Rec.	FKM or Engineer Recommendation FKM or Engineer Recommendation
Sealing Elastomers         FKN           O-rings         FKN           Lip seals         FKN           Mechanical Seal         Dun Opt           Seal Holders         Carl	(M (M or Engineer Recommendation uronit bt. Tungsten Carbide, Silicon Carbide, or Eng. Rec.	FKM or Engineer Recommendation FKM or Engineer Recommendation Silicon Carbide Opt. Tungsten Carbide or Engineer Rec.	FKM or Engineer Recommendation FKM or Engineer Recommendation
Ö-rings FKN Lip seals FKN Mechanical Seals Mechanical Seal Dun Opt Seal Holders Carl	M or Engineer Recommendation  uronit t. Tungsten Carbide, Silicon Carbide, or Eng. Rec.	FKM or Engineer Recommendation  Silicon Carbide Opt. Tungsten Carbide or Engineer Rec.	FKM or Engineer Recommendation  Tungsten Carbide
Lip seals         FKM           Mechanical Seals         Dun           Mechanical Seal         Dun           Opt         Opt           Seal Holders         Carl	M or Engineer Recommendation  uronit t. Tungsten Carbide, Silicon Carbide, or Eng. Rec.	FKM or Engineer Recommendation  Silicon Carbide Opt. Tungsten Carbide or Engineer Rec.	FKM or Engineer Recommendation  Tungsten Carbide
Mechanical Seal Dur Opt. Seal Holders Carl	ot. Tungsten Carbide, Silicon Carbide, or Eng. Rec.	Opt. Tungsten Carbide or Engineer Rec.	
Seal Holders Opt.	ot. Tungsten Carbide, Silicon Carbide, or Eng. Rec.	Opt. Tungsten Carbide or Engineer Rec.	
Seal Holders Carl	ot. Tungsten Carbide, Silicon Carbide, or Eng. Rec. arbon Steel with Corrosion resistant coating	Opt. Tungsten Carbide or Engineer Rec.	Ont Silicon Carbide or Engineer Rec
	arbon Steel with Corrosion resistant coating		
	200 Ot1 (D-:II 000)	Stainless Steel Type 316	Duplex Stainless Steel
		Duplex Stainless Steel	Duplex Stainless Steel
		Duplex Stainless Steel	Duplex Stainless Steel or Engineer Rec.
		Stainless Steel Type 316L	Duplex Stainless Steel
<u>Bolts</u> Carl	arbon Steel ISO 898-I	Stainless Steel A2-A4	Duplex Stainless Steel
Pressure Disc Stai	ainless Steel Type 316L	Stainless Steel Type 316L	Duplex Stainless Steel
LIMITED EXPOSURE PARTS			
Quench /Seal Cooling Chamber AST	STM A48 Grey Iron rust primed	ASTM A48 Grey Iron	ASTM A48 Grey Iron
-	•	with PTFE / Ceramic Teflon etched on face	with PTFE / Ceramic Teflon etched on face
Pump Cover AST	STM A48 Grey Iron rust primed	CIT coated Grey Iron Opt. DS Stainless Steel	CIT coated Grey Iron Opt. Duplex Stainless Steel
NON-WETTED PARTS			
Gears GM.	MA Class 9 AISI 1045 steel	GMA Class 9 AISI 1045 steel	GMA Class 9 AISI 1045 steel
Gear Housing AST	STM A48 Grey Iron rust primed	ASTM A48 Grey Iron rust primed	ASTM A48 Grey Iron rust primed
Shaft AIS	SI 4140 Alloy Steel	AISI 4140 Alloy Steel	AISI 4140 Alloy Steel
PAINTING REQUIREMENTS		-	
Standard Painting SSI	SPC/SP6 Sandblast Paint	SSPC/SP6 Sandblast Paint	SSPC/SP6 Sandblast Paint
	bePro Blue	LobePro Silver	LobePro Silver




LobePro, Inc. • 2610 Sidney Lanier Drive • Brunswick, Georgia 31525 • 912-466-0304 • 1-888-997-7867 • www.LobePro.com
© Copyright by LobePro, Inc. 2020 Specifications subject to change without notice

Pump Shaft Input Horsepower, hp



## Performance Curve - NBR Lobes\*

Based on 70°F (21°C) fresh water (1 cp) at Sea Level. Output will increase as viscosity of the fluid increases from 1.



Capacity, m3/hr

Pump Shaft Input Kilowatts, kw

\*Note: Output from lobes coated with elastomers other than NBR maybe lower. Contact Engineering for further information.

