


L531


SPECIFICATIONS	US	Metric
Rated Capacity: Displacement (per 100 revolutions): Maximum Continuous Pressure: Starting Torque: Rated Speed: Shaft Diameter: Flange Connection Class: Flange Connection Size: Weight: Solids Handling Spherical Compressible Spherical Hard* *Larger hard solids will pass through, but may	0-2,655 gpm 531 gal (US) 30 psi 3,857 in lbf 0-500 RPM 2.4" ANSI 16.5-150# ANSI 10" 913 lbs 3" 1/8" cause damage.	0-603 m³/h 2,002 L 2.1 bar 436 N m 0-500 RPM 60 mm DN – PN 16 DN 200 411 kg 76 mm 3 mm





Positive Displacement Rotary Lobe Pumps

MODEL >	SL531	CL531	DL531
Service	Sludge, Mud and Slurries*	Chemical/Corrosive	Oil, Gas & Abrasives
WETTED PARTS			
Rotary Lobes			
Elastomer Lobe Profile Number of lobe wings	NBR Opt. HNBR, FKM, EPDM or Eng. Rec. Helix 4	FKM or HNBR Opt. NBR, EPDM or Eng. Rec. Helix 4	FKM or HNBR Opt. NBR, EPDM or Eng. Rec. Helix 4
Core	Carbon Steel	Carbon Steel	Carbon Steel
Sealing Elastomers			
Ö-rings Lip seals	FKM FKM or Engineer Recommendation	FKM or Engineer Recommendation FKM or Engineer Recommendation	FKM or Engineer Recommendation FKM or Engineer Recommendation
Mechanical Seals			
Mechanical Seal Seal Holders	Duronit Opt. Tungsten Carbide, Silicon Carbide, or Eng. Rec Carbon Steel with Corrosion resistant coating	Silicon Carbide c. Opt. Tungsten Carbide or Engineer Rec. Stainless Steel Type 316	Tungsten Carbide Opt. Silicon Carbide or Engineer Rec. Duplex Stainless Steel
Wear Plates	AR500 Steel (Brinell 500)	Duplex Stainless Steel	Duplex Stainless Steel
Housing Segments	ASTM A48 Grey Iron rust primed	Duplex Stainless Steel	Duplex Stainless Steel or Engineer Rec.
Flange Ring	ASTM A36 Carbon Steel	Stainless Steel Type 316L	Duplex Stainless Steel
Bolts	Carbon Steel ISO 898-I	Stainless Steel A2-A4	Duplex Stainless Steel
Pressure Disc	Stainless Steel Type 316L	Stainless Steel Type 316L	Duplex Stainless Steel
LIMITED EXPOSURE PARTS			
Quench /Seal Cooling Chamber	ASTM A48 Grey Iron rust primed	ASTM A48 Grey Iron with PTFE / Ceramic Teflon etched on face	ASTM A48 Grey Iron with PTFE / Ceramic Teflon etched on face
Pump Cover	ASTM A48 Grey Iron rust primed	CIT coated Grey Iron Opt. DS Stainless Steel	CIT coated Grey Iron Opt. Duplex Stainless Steel
NON-WETTED PARTS			
Gears	GMA Class 9 AISI 1045 steel	GMA Class 9 AISI 1045 steel	GMA Class 9 AISI 1045 steel
Gear Housing	ASTM A48 Grey Iron rust primed	ASTM A48 Grey Iron rust primed	ASTM A48 Grey Iron rust primed
Shaft	AISI 4140 Alloy Steel	AISI 4140 Alloy Steel	AISI 4140 Alloy Steel
PAINTING REQUIREMENTS			
Standard Painting	SSPC/SP6 Sandblast Paint	SSPC/SP6 Sandblast Paint	SSPC/SP6 Sandblast Paint
	LobePro Blue	LobePro Silver	LobePro Silver

NOTE: Listed above are standard pump assemblies; lobe styles and materials subject to recommendation by LobePro Engineering. A wide range of optional materials are available for each model. Consult LobePro for further information. *Consult Factory for application temperature above 80°C (175°F).










Performance Curve - NBR Lobes*

Based on 70°F (21°C) fresh water (1 cp) at Sea Level. Output will increase as viscosity of the fluid increases from 1.



Capacity, m3/hr

*Note: Output from lobes coated with elastomers other than NBR maybe lower. Contact Engineering for further information.

