

TUBE DIFFUSERS



MODEL: RCT-600





■ FEATURE

- 1. RCT tube diffuser with compression molded EPDM membranes to avoid ultraviolet degradation or chemical corruption.
- 2. Tube are designed by hollow type for maximum strength at a minimum positive buoyancy.
- 3. Tube inlet distributor is designed for all in one injection
- 4. The body support are made from ABS material.
- 5. SUS 304 clamp to fix membranes on ABS pipes
- 6. The slit quantity is higher than others

■ Application

- 1. Municipal sewage treatment process
- 2. Industrial wastewater treatment process
- 3. Purify water treatment process
- 4. Ozone diffuser application
- 5. Sludge stabilization process
- 6. Aquafarm
- 7. Rivers and lakes purify water

■ SPECIFICATION

MODLE	SPECIFICATION	FLOW(L/min)	MEMBRANE	BODY	CLAMP	WEIGHT
RCT-300	300mm×65mm×3/4"PT	50-160	E. P. D. M	ABS	304stainless	0.45kg
RCT-600	600mm×65mm×3/4" PT	150-300	E. P. D. M	ABS	304stainless	0.9kg
RCT-1000	1000mm×65mm×3/4"PT	300-550	E. P. D. M	ABS	304stainless	1.5kg


ID:62mm OD:65mm

■ Advantage


- 1. High oxygen transfer efficiency
- 2. Self clean and good seal which keeps air in and water out
- 3. High service area
- 4. Low headloss
- 5. Low power consumption
- 6. Easy to install?. Aeration designed by batch (SBR...)
- 8. High Tensile Strength



■ CONSTRUCTION




■ OTE CURVE





■ HEADLOSS







RCT TUBE DIFFUSER PIPING INSTALLATION

Our experience has shown you that tube is very easy to install. Tubes are available with quick and nipple connections. For high efficiency, please rotate perforations in horizontal position. Due to excellent seal, the support stands level will be allowed of a little difference.

We recommend environmentally friendly Stainless Steel Sch 10 or PVC Schedule 40 pipes. Drop pipes are typically Sch 10 304L SS to avoid UV degradation.







HANASU ÇEVRE & ENERJİ TEKNOLOJİLERİ SAN. VE TİC. LTD. ŞTİ.

Cumhuriyet Mahallesi, Çağdaş Caddesi, No:2-4 Ofis:3 Çekmeköy, 34788, Istanbul, Turkiye Tel: +90 216 504 2272 Faks: +90 216 504 2271

www.hanasu.com.tr hanasu@hanasu.com.tr / satis@hanasu.com.tr